Washington State Department of Health Pertussis County			irmed able ect	☐ Outbreak-related LHJ Cluster# LHJ Cluster Name: DOH Outbreak #		
REPORT SOURCE LHJ notification date// Reporter (check all that apply)	Reporter pho Primary HCP Primary HCP	ne name phone				
Name (last, first)	Name: Phone:	Homeless	Gender Ethnicity Race (check Amer Inc	_//Age F		
CLINICAL INFORMATION						
Signs and Symptoms Y N DK NA Cough Cough onset date/ Coughing in sudden bursts or fits (cough) Onset date/ Cough at final interview Cough duration (days) at last interview Date of final interview// Cough lasting at least 2 weeks Temporarily stops breathing (apneal in the stope of turning blue (cyanosis) Sore throat or pharyngitis Runny nose (coryza) Seizures new with disease	/ re) paroxysmal v	Hospitalization Y N DK NA Hospital name Admit date / / Y N DK NA DIE DIECTOR Vaccination Y N DK NA DIE DOSE 1 Type Dose 2 Type Dose 3 Type Dose 4 Type Dose 5 Type	pitalized for thi Dischard from illness opsy Place o	Death date/ Death date/ of death rtussis containing vaccine sine prior to illness: Date received:/ Date received:/ Date received:/ Date received:/ Date received:/ Date received:/ Date received:/		
Predisposing Conditions Y N DK NA Chronic lung disease		Y N DK NA Vaccine series no	ccine up to dat ot up to date re	<mark>te for pertussis</mark> ason:		
Clinical Findings P = Position N = Negation N = Negation N = Note Note Y N DK NA Pneumonia X-ray result: P N I 0 Acute encephalopathy Admitted to intensive care unit	tive erminate Tested	Laboratory Collection date/ Source P N I NTO	Previous infection of the Previous infection of the Previous Previ	ndication xemption on confirmed by laboratory on confirmed by physician Unknown Positive O = Other Negative NT= Not Tested Indeterminate ure (clinical specimen)		

Washington	State D	enartment	of Health
v v asimigion	Ciaic D	cpartificit	or ricaitii

INFECTION TIMELINE						
Enter onset date (first		Exposure period	0	Contagious period*		
sx) in heavy box. Count forward and	Days from onset:	-21 -5	n s e	Contagious from symptom onset to 21+ days after start of paroxysmal cough		
backward to determine probable exposure and contagious periods	Calendar dates:]	* If treated, ≤5 days after initiation of effective antibiotic therapy		
EXPOSURE (Refer to c	lates above)			or encourse animotele incrapy		
Y N DK NA	aces above)		Y N DK NA			
Out of: Destinat Does the sympton	of usual routine County St ions/Dates: case know anyo ns or illness	tate Country	e F 	Vork or volunteer in health care setting during xposure period acility name: isited health care setting during exposure period acility name:		
	or PCR confirmed case			☐ Hospital ward ☐ Hospital ER		
pertussi ☐ ☐ ☐ Congreç ☐ Barra	erson from whom s: days / gate living Type cks	this case contracted months / years] Hospital outpatient clinic ☐ Home] College ☐ Work ☐ Military] Correction facility ☐ Church] International travel] Other, specify: ☐ Unknown		
Where did exposure p	robably occur?	☐ In WA (County:		☐ US but not WA ☐ Not in US ☐ Unk		
Exposure details:						
□ No risk factors or ex						
☐ Patient could not be						
PATIENT PROPHYLAX	IS/TREATMENT					
□ □ □ □ Second	tibiotic treatment t antibiotic given	oegan://	·	tually taken:		
PUBLIC HEALTH ISSU	ES		PUBLIC HEALTH	ACTIONS		
☐ ☐ ☐ Visited h Facility n Number ☐ ☐ ☐ Face to children others a ☐ ☐ ☐ Employe ☐ ☐ Attends ☐ ☐ ☐ Househ occupati ☐ ☐ ☐ Docume ☐ Child ☐ Hosp ☐ Hosp	ous: Facility name nealth care setting name: of visits: face contact with a women > than 7 trisk for severe contact of in child care or child care or presold member or cloion or setting (HCV ented transmission care School ital ward Hosital outpatient clininge Military	while contagious Date(s):/_/_ newborns, unimmunized months pregnant or omplications preschool chool se contact in sensitive W, child care, food) from this case Doctor's office pital ER ic Home Work Correction facility	Number of con Number of con Number of con Exclude case f days of treatme Exclude susce	appropriate contacts recommended tacts recommended prophylaxis: tacts receiving prophylaxis: tacts completing prophylaxis: trom sensitive occupations or situations until 5 ent complete or for 21 days obtible close contacts under 7 years until 5 days impleted or for 21 days fy:		
Investigator		Phone/email:		Investigation complete date//		
Local health jurisdiction				Record complete date/_ /		

Case Name: _____